



DMALUX

LIGHTING PRESENTATION

ADVANCED LIGHTING SOLUTIONS




ENGINEERING SOLUTIONS



We assess the needs of the project and by taking the advantage of teamwork, we develop solutions with you. We offer customized solutions in projects with no lighting device designers.







PRODUCT AND SYSTEM SOLUTIONS



We carefully select and offer high-end products & systems to fulfill your project's needs completely. We constantly update our solutions and keep pace with the developments.

OUR PARTNER COMPANIES

 OSRAM siteco
AN OSRAM BUSINESS traxonecue
AN OSRAM BUSINESS LEDiL® TRIDONIC SAMSUNG
SEMICONDUCTORS DARKOO®
Optics CREE ⇄ LED LG
Life's Good






OUR SERVICES

Optic Design

In accordance with projected lighting calculations, product design and production are carried out at a level that ensures energy saving without sacrificing quality according to EN60598 and ISO 9001 standards. This is done by using Solidworks or other design programs in accordance with the ceiling and installation where light is used.

Product Design

According to project lighting calculations, the product is designed and manufactured at a level that saves energy without sacrificing quality in accordance with EN60598 and ISO 9001 standards by using SolidWorks or other design programs in place of the ceiling and installation where light is used.




LIGHTING ENGINEERING

- Design calculations are made using illumination modeling programs (Dialux, Relux) to comply with the lighting standards for the relevant regions of the project while the lighting calculations for the project are made.
- Efforts to achieve more accurate and precise solutions are proceeded with these methods.




Light, design & supply




LIGHTING ENGINEERING

Calculation Field List	Standard: EN 13201				
Valuation Field Roadway	(All lighting performance requirements are met.)				
Selected Lighting Class: ME3a	Lav [cd/m ²]	U0	UI	TI [%]	SR
Calculated values:	1.34	0.71	0.82	14	0.87
Required values according to class:	≥ 1.00	≥ 0.40	≥ 0.70	≤ 15	≥ 0.50
Fulfilled/Not fulfilled:	✓	✓	✓	✓	✓

LIGHTING ENGINEERING



IDEA



CONCEPT



SOLUTION

LIGHTING ENGINEERING



Office



Retail



Industry



Sports & Leisure



Smart City



Entertainment



Airport And Railway References

Istanbul Airport




The architectural team of the airport develops the project design; the lighting concept of the project has been adapted to the regional cultures and the geographical characteristics of the region.

Istanbul 3. Grand Airport all illumination calculations for the BOH and FOH areas were made, checked and implemented by Licalux in accordance with ICAO standards.



Istanbul Airport




Istanbul Airport



Istanbul Airport – ATC Tower




Istanbul Airport – ATC Tower




Astana Railway Station



Astana Railway Station



Astana Railway Station







Head Office

Türkiye Finans Katılım Bankası



Türkiye Finans Katılım Bankası





Hotel References

Rixos Beldibi





Rixos Tekirova



Rixos Bademlik





Shopping Center

Metropol İstanbul





Petrol City AVM



Khan Shatry - Kazakhstan




Khan Shatry - Kazakhstan



Primemall Sivas






Primemall Sivas



Petrol City-Adres Spor



Petrol City-Adres Spor



Facade Lighting References

Property Tower - Azerbaijan




Property Tower - Azerbaijan







Istanbul Airport - ATC Tower



BAŞLICA REFERANSLARIMIZ:



BEYMEN

ENKA



GAP İNŞAAT





Thank you
for your
attention.